

	Issue Date	Pages	Title	Document ID	Current OR	Current XRef
1	20030626	23	Image projection lighting device	US 20030117090 A1	315/368.28	
2	20020613	18	PRESENTATION DEVICE	US 20020071246 A1	361/681	
3	20020516	25	Active matrix display and forming method thereof	US 20020056844 A1	257/81	257/100
4	20010614	17	Presentation support system and projector system	US 20010003479 A1	353/122	
5	20030107	18	Presentation device	US 6504706 B2	361/681	312/223.2; 345/169; 348/913; 361/683; 361/729; 400/83
6	20020430	21	Dynamically configurable electronic survey response alert system	US 6380928 B1	345/169	345/172; 345/25
7	20020312	28	Active matrix display and forming method thereof	US 6355942 B1	257/72	349/151
8	20010320	51	System and method for rapid shape digitizing and adaptive mesh generation	US 6205243 B1	382/154	250/559.23; 356/602
9	20010130	8	Focussing of therapeutic radiation on internal structures of living bodies	US 6179767 B1	600/1	600/439
10	20000328	44	System and method for rapid shape digitizing and adaptive mesh generation	US 6044170 A	382/154	250/559.23; 356/613
11	20000104	24	Active matrix display with sealing material	US 6011607 A	349/153	349/151
12	19991130	43	System and method for rapid shaped digitizing and adaptive mesh generation	US 5995650 A	382/154	345/419
13	19980714	156	Power management supply interface circuitry, systems and methods	US 5781780 A	713/300	713/320; 713/322; 713/323; 713/330

	Issue Date	Page s	Title	Document ID	Current OR	Current XRef
14	19980224	158	Power management supply interface circuitry, systems and methods	US 5721933 A	713/300	307/31; 307/66
15	19910917	14	Liquid crystal display device	US 5049866 A	349/58	345/905
16	19901016	12	Liquid crystal display device	US 4963001 A	349/5	349/58; 353/119; 353/60
17	19870421	14	Method and apparatus for cueing and pacing in audio and audio-visual work	US 4660107 A	360/25	340/309.16; 340/309.4; 340/309.7; 348/722; 368/41
18	19841023	8	Side arm baton and flashlight	US 4479171 A	362/102	362/109; 362/120; 362/205; 362/376; 362/390; 362/399; 463/47.4; 463/47.6; D22/117
19	19800819	19	Changeover control arrangement for projection apparatus	US 4218115 A	352/7	352/133; 369/2
20	19780509	44	Method and apparatus for controlling external devices and for transferring information	US 4089028 A	360/79	
21	20030207	14	Multiaxis photoelectric sensor for e.g. machine tool has optical projector and optical receiver whose one portion of contour outline of bar shape is formed when external connector is arranged in notch	JP 2003037284		

	Issue Date	Page s	Title	Document ID	Current OR	Current XRef
22	19970516	13	Image forming apparatus e.g. analogue copier, digital copier with colour scanner and colour printer - uses single power supply with two output terminals to provide electric power to halogen lamp and lamp for projectors that expose documents to obtain document reflected light and transparent light, respectively	JP 09130518 A		

	L #	Hits	Search Text	DBs
1	L1	957	LCD adj projector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
2	L2	709	353/122.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
3	L3	12	1 and 2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
4	L4	16573	external adj connection	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
5	L5	2	1 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
6	L6	3769	external adj connector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
7	L7	5697	projection adj display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
8	L8	0	6 and 7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
9	L9	56879	projector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB
10	L10	22	6 and 9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB